

AUTISM AS PERFORMANCE OF MALICIOUS ANCESTRAL PATTERNS' COMPLEX

Dimitroshkina L.I. (Russian Federation) Email: Dimitroshkina354@scientifictext.ru

*Dimitroshkina Liana Ivanovna - Full member of the Professional Psychotherapeutic League of Russia, Director,
AUTONOMOUS NONPROFIT ORGANIZATION
«INSTITUTE FOR THE STUDY OF AUTISM», IZHEVSK*

Abstract: the article gives a brief presentation of the theory of generic programs leading to autism, including the statistics for the phenomena initiating those malicious generic programs in the different parts of the world. Some analytical data about social and demographical factors possibly causing autism are included.

The article ends with the information about the experience of adjusting the situation with the help of family constellations technics (based on the experimental group of autistic kids' moms).

Keywords: autism, psychology, abortions, divorces, systemic family arrangements.

АУТИЗМ КАК ПРОЯВЛЕНИЕ КОМПЛЕКСА ВРЕДНОСНЫХ РОДОВЫХ ПРОГРАММ

Димитрошкина Л.И. (Российская Федерация)

*Димитрошкина Лиана Ивановна - действительный член Профессиональной психотерапевтической лиги России,
директор,
Автономная некоммерческая организация
«Институт изучения аутизма», г. Ижевск*

Аннотация: в статье выдвигается теория о родовых программах, приводящих к появлению аутизма, и с разных точек зрения рассматриваются основные факторы, влияющие на эту проблему. Приводится анализ исследований, выявляющих зависимость аутизма от социальных и демографических факторов.

Завершает публикацию информация об опыте корректировки ситуаций с применением техник системных семейных расстановок в работе с мамами аутичных детей в рамках организованного автором проекта «Победим Аутизм».

Ключевые слова: аутизм, психология, аборт, разводы, семейные расстановки.

ORCID 0000-0001-8033-8519

In the recent years autism, or the autistic spectrum disorder (ASD), is drawing attention not only within the scientific community. It becomes the major theme for news, TV-shows, various articles and books. This evidently leads to some discrepancies and brazen flutters. However, the major contradiction arises between the number of methods and programs for autistic kids (each of them promising great results) – and the fact that autism is officially considered to be incurable.

The article below is supposed to explain why child-focused therapy of autism does not deliver the expected result.

The view of Constellation Psychologist

By nowadays the family constellations branch has been developing within the psychology for more than 50 years. There is a number of institutions teaching psychologists to make family constellations around the world, including Moscow Consulting and System Solutions Institute, Libre de Samadeva University in France, Internationales Institut für Systemaufstellungen in Germany. As for me, I mastered this specialty with the help of German, Russian, Austrian, American and French professionals.

This branch of psychology deals with the deep subconscious reasons of person's reoccurring faults, obstacles and diseases. It helps to discover the underlying family system roots for all those problems. It is important to know that most problems happen not due to things we did (or did not) but due to some ancestral causes coming from previous centuries. Uncovering those reasons helps to change the situation, and often this is the fastest way to do so.

The very first law of the system is the Law of Belonging. It says that our Family includes all the people our relatives and we ever had sexual relations with and all the children, both born and unborn.

I would like to emphasize that every child of you mother (grandmother, aunt, father's girlfriend of grandfather's first wife) that was conceived and was not born (due to abortion or some other reason) is still a member of you Family System with the power to influence your life.

Let us call that the Reason A.

Again, our Family includes all the people our relatives ever had sex with, no matter regular or one-night partners. Just imagine that in some "sex-in-the-City" countries a man can contact some hundred of prostitutes in a year thus binding his Family System to each of those women. A woman can have sex with a soccer team and thus relate to the family systems of all of the players.

Let us call that the Reason B.

The Reason A and the Reason B (abortions and multiple sexual relations) together create malicious patterns within a Family System. This load grows with all the next generations in the family. The malicious ancestral patterns (MAPs) wrap the Family just like Lilliputian threads used to wrap Gulliver. One day the load becomes too huge, and a newborn child can be squashed – even broken – by all those MAPs.

That leads to the closure in his own universe when any attempt to pull him out of it leads to a terrible outburst. Aggression. Self-aggression. Those signs we know as the symptoms of ASD.

Some MAPs can lead to various problems, but in general I would say that both the Reason A (abortions) and the Reason B (multiple sexual relations) have strongly negative influence to the person's ability to get married, to create strong family and to have healthy children. As a variant, an autistic child in a family may be braided with earlier mother's or grandmother's sexual partners or with unborn brothers and sisters of his mother, his father or himself.

All those braidings and correlations were described in detail in my article "Autism Resulting from Child's Ancestral Problems" published in May, 2019 in Boston, USA [1].

In fact, I came to all the correlations above from the opposite side. I was dealing with women curing the malicious ancestral patterns connected with abortions and divorces in their families. All of a sudden, that therapy resulted in serious improvements in the condition of their autistic children. As the therapy project (more details are given below) goes on, my initial assumptions of the causes of ASD get more and more confirmations.

The scientific view: Reason A

Way back in the 1999 the American professor Larry Bird stated that mothers with previous induced abortions are three times more likely to have autistic children [2]. He explained the fact at the physical level. Abortions in many cases lead to early deliveries and decreased birth weight, besides those mothers get older by the time they have children. In fact, early deliveries and increased mother's age proved ASD risk factors in a number of scientific reports. Norwegian researchers led by Dag Moster say that extremely premature newborns (under 28 weeks' gestation) had 9.7 times the ASD risk as full-term newborns (at least 37 weeks' gestation) [3]. Since 1992 there have been five statistically significant studies to report that women with prior induced abortions had higher risk of delivering an extremely preterm newborn [4].

However, from the Constellation Psychologist point of view this correlation (reputedly proved by the statistics) can be explained a bit differently. The ASD risk grows due to the malicious ancestral patterns arising from all the abortions (and probable extramarital sexual relations) rather than due to the physical state of mother's health.

I described such correlations in the article "*New theory about Causes of Autism*", published in 2019 in the International scientific review magazine [5].

The scientific view: Reason B

While analyzing a recent scientific report from the USA (I should state here my deepest respect to the detailed and profound research made and to the amount of information analyzed) I came across a group of numbers that illustrates the above-mentioned Reason B in a clear and logical way.

Table 1. Point Prevalence of Parent-Reported Current ASD among Children Aged 3–17 Years According to Selected Demographic, Socioeconomic, and Birth Characteristics, United States, 2016 [6]

Characteristics	No. in Sample (unweighted)	No. with ASD (weighned, total)	No. with ASD (weighned, thous.)	No. with ASD (weighned, %)	95% CI	Unadjusted PRR (95% CI)	Adjusted PRR (95% CI)
Family structure							
2 parents, married	31108	752	832	2.12	1.85-2.43	1.00	1.00
2 parents, unmarried	2649	86	167	3.36	2.08-5.37	1.58 (0.97-2.58)	1.49 (0.91-2.45)
Single mother	5446	196	378	3.86	3.02-4.93	1.82 (1.37-2.41)	1.47 (1.05-2.05)
Other	3092	84	128	2.29	1.46-3.58	1.08 (0.68-1.72)	1.02 (0.58-1.80)

The table clearly demonstrates that a single mother or unmarried parents are 58–82% more likely to have an autistic child than two parents that are married.

We can assume that in case of marriage the two parents have much less sexual relations with other people than in case of unmarried parents or a single mother.

Another aspect proving the same correlation.

Among the parental characteristics of higher ASD risk a number of scientists state increased mother's and father's age.

The effect of advanced paternal age was examined in 4 studies we are aware of. Paternal age remained a significant risk factor for autism and ASDs in 3 of the 4 studies after controlling for confounding variables, including maternal age. In a recently published study Reichenberg demonstrated a greater than 2-fold increase in the risk of ASD with each 10-year increase in paternal age [7].

Advanced maternal age was one of the most frequently studied risk factors for autism. The correlation is proved in 6 of the 7 studies before controlling for potential confounders [7]. Maternal age remained an independent risk factor in 3 studies also after adjusting for other variables. The relative risk for mothers 35 years or older was 3.4 in a US cohort [8], 2.3 in a Denmark study [9] and 1.5 in an Australian study [10].

We can assume that it is not only about the health condition of those mothers and fathers. Those aged parents are likely to manage a lot in their lives – much more than the young ones. That includes a number of sexual relations and induced abortions.

The view of Systems Engineer: Integrated-circuit Processing Theory

This Theory was one of the subjects I studied in my early years, and I still remember being shocked by the terribly low outcome of good integrated circuits despite the low percent of faulty results along the processing chain.

The reject rates in semiconductor manufacturing could be about 99 %. For other circuits like processors and graphic adapters 75 to 50 percent is normal.

The faulty results along these processing chains are not summarized – they multiply, and all the further operations make the outcome even lower.

We assume that our subconscious mechanisms work in a similar way. The influence of the **Reason A** joins the **Reason B** and multiplies with every next generation that follows the modern principles like "abortion is just a woman's personal affair" and "sex is a sort of pleasure for your body".

As far as it goes to exact sciences, I would like to show some numbers.




Fig. 1. Estimated autism prevalence according to the Autism Speaks organization

The diagram shows estimated autism prevalence by 2018 calculated based on the dynamics during the previous four years [11]. That is just one version among a number of similar researches. The resulting data itself may show great discrepancies, but the conclusions are still similar: autism prevalence is rising exponentially.

While maintaining the existing growth rates (so far nothing shows that they may decrease) half the children will be autistic in 2030, and by 2050 this number will approach 100 %.

Unfortunately the reasons of ASD are being studied in silos and we do not find any systematic analyses of the autism prevalence in connection to abortions, divorces and extramarital sexual relations at least in two or three previous generations in families. Still we do some research of that within our project.

About MAu-Therapy Project

Despite my technical past mentioned, today I am a member of the Professional Psychotherapeutic League of Russia, director of the Institute for the Study of Autism, the author of 33 books on the psychology of relationships, and the founder of three Internet projects, one called the Institute of Family Happiness (www.pozitivelive.ru), and the other – Overcome Autism (www.pobedimautism.ru).

I have to say I am a psychologist, which comes from the word "psycho" — soul. For me an atheist psychologist is an oxymoron. My main qualifications are in a Family Constellation area. However, because I have almost forty of them, all those bound together with psychoanalysis, gestalt and RPT gave an unexpected effect. The children of several students of my project, the Institute for Family Happiness, showed strong results in terms of overcoming autism, including removal of the diagnosis.

After that, I took my programs to pieces, trying to understand the way I got this result. Then I made a new experimental program of 12 monthly steps, MAu-Therapy, which has 186 students now. I work with moms and even grandmothers. Children get all the benefits.

Now most mothers have gone half way.

More than 80% have positive dynamics. (We also concluded that the program is not working for some severe cases where autistic kids are like 17 years old, non-speaking and aggressive.)

More than 50% have significant positive dynamics. The diagnosis were officially removed in 4%.

This is an experiment. It has not even reached the midpoint, not to mention the representativeness of the sample. But even at this stage it shows that a possible solution is in the spiritual realm, and not the physical one.

Likewise, this is evidenced by the statistics – both collected within our program and analyzed by other scientists mentioned in this article.

Malicious ancestral patterns, just like plumbic substances, tend to accumulate, and for some time their effect remains unnoticeable. Plumbum poisoning is hard to detect because there are no signs or symptoms until the dangerous substance content reaches certain threshold.

And then they fall upon a man with all its power and lead to severe encephalopathy: the neurological and the behavioral impact of plumbum poisoning are considered to be inconvertible. Just in the same way, autism is said to be incurable.

As soon as the number of MAPs in a family reaches some threshold, it leads to serious (often inconvertible) problems in relations between parents and, furthermore, to serious illnesses their children get. The easiest way not to be poisoned by plumbum is to avoid contacts with its effluvium. The same works for MAPs as well, you just should avoid the reasons causing them. However, if you are "poisoned" by a MAP already, healing should be arranged with all the attention. And I would say that is possible.

References / Список литературы

1. *Dimitroshkina L.I.* Autism resulting from child's ancestral problems — XII international correspondence scientific specialized conference «International scientific review of the problems of philosophy, psychology and pedagogy» (Boston. USA. July 10-11, 2019). ISBN 978-1-948507-00-4 UDC 08.
2. Prenatal and perinatal risk factors for autism. Larry Burd and others. [Electronic Resource]. URL: <https://www.degruyter.com/view/j/jpme.1999.27.issue-6/jpm.1999.059/jpm.1999.059.xml/> (date of access: 10.06.2019).
3. Long-Term Medical and Social Consequences of Preterm Birth. Dag Moster and others. [Electronic Resource]. URL: https://www.nejm.org/doi/10.1056/NEJMoa0706475?url_ver=Z39.88-2003&rft_id=ori%3Arid%3Acrossref.org&rft_dat=cr_pub%3Dwww.ncbi.nlm.nih.gov/ (date of access: 14.06.2019).
4. Autism and Abortion: The Tragic Link by Brent Rooney. [Electronic Resource]. URL: https://rffm.typepad.com/republicans_for_fair_medi/2008/10/autism-and-abortion-the-tragic-link-by-brent-rooney-msc.html/ (date of access: 14.06.2019).
5. New theory about causes of autism. Dimitroshkina L.I. [Electronic Resource]. URL: <https://scientific-conference.com/images/PDF/2019/11/International-scientific-review-3-11-III-ISBN.pdf/> (date of access: 25.06.2019).
6. The Prevalence of ParentReported Autism Spectrum Disorder Among US Children, Michael D. Kogan and others. [Electronic Resource]. URL: <https://pediatrics.aappublications.org/content/pediatrics/early/2018/11/21/peds.2017-4161.full.pdf/> (date of access: 15.06.2019).

7. Prenatal and Perinatal Risk Factors for Autism. A Review and Integration of Findings. Alexander Kolevzon and others. [Electronic Resource]. URL: <https://jamanetwork.com/journals/jamapediatrics/fullarticle/570101/> (date of access: 13.06.2019).
8. Descriptive epidemiology of autism in a California population: who is at risk? Croen L.A. and others. [Electronic Resource]. URL: <https://www.ncbi.nlm.nih.gov/pubmed/12108623/> (date of access: 11.06.2019).
9. Obstetric complications and risk for severe psychopathology in childhood. Eaton W.W. and others. [Electronic Resource]. URL: <https://www.ncbi.nlm.nih.gov/pubmed/11518482/> (date of access: 11.06.2019).
10. Perinatal Factors and the Development of Autism. A Population Study. Emma J. Glasson and others. [Electronic Resource]. URL: <https://jamanetwork.com/journals/jamapsychiatry/fullarticle/482014/> (date of access: 10.06.2019).
11. Данные организации Autism Speaks. [Electronic Resource]. URL: <https://www.autismspeaks.org/autism-facts-and-figures/> (date of access: 06.05.019).